

Ultra-Thin
Motorised
TFT Monitor
Lift With Microphone



This Pop Up Monitor Lift with Microphone is an advance system hiding everything in one equipment designed for audio video system in office furniture/boardroom/conference room table. Monitor Lift is all in one system supplied along with HD Screen together. Monitor retracts vertically from the Desktop Monitor Lift on touch of a button.



## 15.6 Inch Ultra-Thin Motorised TFT Monitor Lift With Microphone

\* Model: AVC-UTML-16M / AVC-UTML-16TM

\* Panel Size: 582.4\*80mm

\* Lift Size: 565.2\*69\*658mm

\* Interface: HDMI VGA

\* Resolution:1920\*1080

\* 90 to 150 degree titling angle adjustable

\* Weight: 14 Kgs

\* Power: AC220V 50Hz

## 17.3 Inch Ultra-Thin Motorised TFT Monitor Lift With Microphone

\* Model: AVC-UTML-17M / AVC-UTML-17TM

\* Panel Size: 604.8\*80mm

\* Lift Size: 623.6\*69\*658mm

\* Interface: HDMI VGA

\* Resolution:1920\*1080

\* 90 to 150 degree titling angle adjustable

\* Weight: 16 Kgs

\* Power: AC220V 50Hz





## 18.5 Inch Ultra-Thin Motorised TFT Monitor Lift With Microphone

\* Model: AVC-UTML-18M/AVC-UTML18TM

\* Panel Size: 670.8\*80mm

\* Lift Size: 653.6\*69\*658mm

\* Interface: HDMI VGA

\* Resolution: 366\*768

\* 90 to 110 degree titling angle adjustable

\* Weight: 18 Kgs

\* Power: AC220V 50Hz



Control Way: Touch key-press / RS485 Central Control

Material: Aluminium alloy brushed panel, matt silver LCD frame

Panel: Brushed Aluminium panel edging processing, high-grade utility for more conference table installation



1. This Monitor is provided with an Automatic Power ON / OFF system. When the Monitor is going up, the power will be switched ON automatically. In order to save energy and preserve the working life of the monitor, in the opposite state, the Monitor will be completely switched OFF.

2. The Microphone

Frenqucy Response 100-10KHZ

Sensitivity: -47DB

Signal to noise ratio: 65DB

Speaking distance:15-50 cm

Operating Voltage: 24V

